
RM: From Acceptance to Desire


Alex Carballo-Diéguez, Ph.D. Rebecca Giguere, MPH Titcha Ho, MA

HIV Center for Clinical and Behavioral Studies at NY State Psychiatric Institute and Columbia University, New York, USA,

MTN "Creating Desire for Rectal Microbicides"
May 13, 2014


Since the first cases of (AIDS) were diagnosed, gay men have been heavily affected.







As soon as it became evident that the causal agent was sexually transmitted, campaigns for safer sex, mainly condom use, were launched targeting gay men.









But an efficacious HIV prevention technology was never enough. It needed to be sexy.






Despite efforts to eroticize safer sex, condom uptake has been neither universal nor consistent among MSM



Source: http://www.cdc.gov/nchhstp/newsroom/HIVFactSheets/Progress/Trends.htm

Alternatives to condoms could build on existing behaviors








Frequent Use of Lubricants for Anal Sex Among Men Who Have Sex With Men: The HIV Prevention Potential of a Microbicidal Gel

Alex Carballo-Diéguez, PhD, Zena Stein, MB, BCh, Helga Sáez, MD, Curtis Dolezal, PhD, Luis Nieves-Rosa, MSW, and Francisco Díaz, MD


American Journal of Public Health July 2000, Vol. 90, No. 7

- Butler LM, Osmond DH, Graves Jones A, Martin JN. *Use of saliva as a lubricant in anal sexual practices among homosexual men.* JAIDS 2009;50(2):162-167.
- Kinsler JJ, Galea JT, Peinado J, Segura P, Montano SM, Sánchez J. Lubricant use among men who have sex with men reporting receptive anal intercourse in Peru: implications for rectal microbicides as an HIV prevention strategy. Int J STD AIDS 2010;21:567-572.
- Javanbakht M, Murphy R, Gorbach P, LeBlanc M-A, Pickett J. *Preference and practices relating to lubricant use during anal intercourse: implications for rectal microbicides*. Sexual Health 2010;7(2):193-198.
- Clark JL, Salvatierra HJ, Segura ER, et al. Frequency, patterns, and preferences of lubricant use during anal intercourse within male sexual partnerships in Lima, Peru: Implications for a rectal microbicide HIV prevention intervention. AIDS Care 2013;25(5):579-585.



- Galea JT, Kinsler JJ, Imrie J, Nureña CR, Sánchez J, Cunningham WE. Rectal douching and implications for rectal microbicides among populations vulnerable to HIV in South America: a qualitative study. Sex Transm Infect 2013;0:1-3.
- Javanbakht M, Stahlman S, Pickett J, LeBlanc M-A, Gorbach PM. *Prevalence and types of rectal douches used for anal intercourse: results from an international survey.* BMC Infectious Diseases 2014;14:95.
- Leyva FJ, Bakshi RP, Li L, et al. *Isoosmolar enemas demonstrate preferential gastrointestinal distribution with hyperosmolar and hypoosmolar enemas as a potential delivery vehicle for rectal microbicides*. AIDS Res Hum Retroviruses 2013;29(11):1487-95.
- Noor SW, Rosser BRS. Enema use among men who have sex with men: A behavioral epidemiologic study with implications for HIV/STI prevention. Arch Sex Behav 2013, Epub ahead of print.

Acceptability of a Hypothetical RM among MSM/TGW



- Kinsler JJ, Cunningham WE, Nureña CR, et al. Using conjoint analysis to measure the acceptability of rectal microbicides among MSM in four South American cities. AIDS Behav 2012;16(6):1436-1447.
- Newman PA, Roungprakhon S, Tepjan S. *A social ecology of rectal microbicide acceptability among young men who have sex with men and transgender women in Thailand.* J Int AIDS Soc 2013;16(1):18476.
- Peinado J, Lama JR, Galea JT, et al. *Acceptability of oral versus rectal HIV* preexposure prophylaxis among men who have sex with men and transgender women in Peru. J Int Assoc Provid AIDS Care 2013;12(4):278-283.

Women's anal intercourse

Women's Experiences with Anal Sex: Motivations and Implications for STD Prevention AIDS Education and Prevention, 20(2), 148-159, 2008 © 2008 The Guilford Press WOMEN'S ANAL SEX PRACTICES: By Emily Maynard, CONTEXT: Heterosexual anal intercourse is a highly efficient mode of HIV transmission, yet little is known about the water and with whom they use condoms. Similarly, sexuality and reproduc IMPLICATIONS FOR FORMULATION Alex Carballo. CONTEXT: Heterosexual anal intercourse is a highly efficient mode of HIV transmission, yet little is known about the tive health research has paid little attention to female desire and pleasure-seeking. Diéguez, Ana AND PROMOTION OF A RECTAL tive health research has paid little attention to female desire and pleasure-seeking. Ventuneac, Theresa Exner and METHODS: In-depth interviews were conducted in Boston in 2006 with 28 women who reported having had unpro-Kenneth Mayer METHODS: In-depth interviews were conducted in Boston in 2006 with 28 women who reported having had unproscripting the arrangement with a man who was HIV-positive or whose serostatus was unknown. Sexual ROBICIDE

**Scripting theory guided analyses of their experiences with and motivations to practice and intercourse. A. Carballo-Diéguez, L. Salomon,

Sixner, J. Correale, A. Carballo-Diéguez, L. Salomon,

Morrow, C. Dolezal, and K. Mayer

**Duby Z, Colvin C. Conceptualizations of heterosexual anal sex and HIV risk in five East

**Scripting theory guided analyses of their experiences with one of HIV transmission, yet little is known about to scripting theory guided analyses of their experiences with a man who was HIV-positive or whose serostatus was unknown sexual and Reproductive Health, 2009, 41(3):142–149, doi: 10.364/114209

**Duby Z, Colvin C. Conceptualizations of heterosexual anal sex and HIV risk in five East

Total Land Conceptualizations of the series and intercourse and intercourse and intercourse and intercourse.

**Total Land Conceptualizations of his practice and line and with whom they use condoms. Similarly, sexuality and reproductive was they go with a man who was HIV positive or whose serostatus was unknown about to sexual and Reproductive Health, 2009, 41(3):142–149, doi: 10.364/114209 T.M. Exner, J. Correale, A. Carballo-Diéguez, L. Salomon, MICROBICIDE K.M. Morrow, C. Dolezal, and K. Mayer

- African communities. J Sex Res 2014 Mar 10. Epub ahead of print.
- Alexander M, Mainkar M, Deshpande S, Chidrawar S, Sane S, Mehendale S. Heterosexual anal sex among female sex workers in high HIV prevalence states of India: need for comprehensive intervention. PLoS One 2014 Feb 20;9(2):e88858.
- Stulhofer A, Ajdukovic D. A mixed-methods exploration of women's experiences of anal intercourse: meanings related to pain and pleasure. Arch Sex Behav 2013;42(6):1053-1062.
- Livak BS, Prachand NG, Benbow N. Anal intercourse and HIV risk among low-income heterosexual women: findings from Chicago HIV behavioral surveillance. Open AIDS J 2012;6:142-148.

Acceptability of RM in clinical trials

- Gross M, Tabet SR, Kelly CW, Coletti AS, Chesney MA. *Acceptability* of a bioadhesive nonoxynol-9 gel delivered by an applicator as a rectal microbicide. Sex Trans Dis 1999;26(10):572-578.

AIDS Behav DOI 10.1007/s10461-009-9611-5

ORIGINAL PAPER

Acceptability of UC781 Gel as a Rectal Microbicide Among HIV-Uninfected Women and Men

Ana Ventuneac · Alex Carballo-Diéguez · Ian McGowan · Robert Dennis · Amy Adler · Elena Khanukhova · Charles Price · Terry Saunders · Chomchay Siboliban · Peter Anton

Sept. 2009

 McGowan I, Hoesley C, Cranston RD, et al. A phase 1 randomized, double blind placebo controlled rectal safety and acceptability study of tenofovir 1% gel (MTN-007). PLoS One 2013;8(4):e60147.

Desirable Characteristics for RM

- Consistency: Smooth, slippery; not sticky, runny or oily
- Color: Clear or light
- Scent: Unscented or light fruity/floral; non-medicinal
- Taste: No taste
- Refillable? Single-use, disposable, portable applicator
- Packaging: Cool, not look like a drug
- Price and effectiveness: similar to condoms
- Covert use: Desirable for casual partners
- Several formulations to meet different needs and tastes

Adherence to RM (placebo) use concurrent with RAI > 80%

AIDS Behav DOI 10.1007/s10461-014-0768-1

ORIGINAL PAPER

Adherence to Rectal Gel Use Among Mainly Ethnic Minority Young Men Who have Sex with Men During A 3-Month Placebo Gel Trial: Implications for Microbicide Research

Alex Carballo-Diéguez · Rebecca Giguere · Curtis Dolezal · José Bauermeister · Cheng-Shiun Leu · Juan Valladares · Timothy Frasca · Rita Labbett ·


Ross D. Cranston · Irma Febo · Kenneth Mayer · Ian McGowan

There is still work to do to improve adherence to product use

- Increase acceptability (decrease barriers)
- Increase desirability, something that people really want to use.

Increasing acceptability of a gel

Improve the applicator





 Bauermeister JA, Giguere R, Dolezal C, Leu, C-S, Valladares J, Frasca T, Febo I, Cranston RD, Mayer K, McGowan I, Carballo-Diéguez A. The intersecting importance of gel and applicator satisfaction on Young MSM's future rectal microbicide use. Poster presentation at AIDS 2014, July 20-25, 2014, Melbourne, Australia.

Participants' complaints about applicators

- ✓ Too big and rigid, don't fit in jeans pocket, not easily portable
- Require assembly, get rid of the plunger
- Some don't have a lubricated tip, tip may be painful
- ✓ Vaginal applicator does not have finger grip or indicator that it was sufficiently inserted in rectum
- Deliver air in the rectum

We need a better rectal applicator



No applicator would be better

- M&M
- How about a suppository?



Prior studies on suppository acceptability

Preference for gel over suppository as delivery vehicle for a rectal microbicide: results of a randomised, crossover acceptability trial among men who have sex with men


A Carballo-Diéguez,¹ C Dolezal,¹ J A Bauermeister,¹ W O'Brien,² A Ventuneac,¹ K Mayer^{2,3}

Sex Transm Infect 2008;84:483-487. doi:10.1136/sti.2008.030478

- Pines HA, Gorbach PM, Weiss RE, et al. *Acceptability of potential rectal microbicide delivery systems for HIV prevention: a randomized crossover trial.* AIDS Behav 2013;18(7):1002-1015.


Packaging would need to protect them from heat and pressure (if carried in back pocket)











Increasing acceptability of a douche

 Portability may be an issue, but we could have a soluble microbicide (C. Hendix U19 application)





Princess Folding Douche Bag, eBay \$19.95

Increasing acceptability

Easy to open wrapping!!!





Acceptable -> Desired

- Increase acceptability (decrease barriers)
- Increase desirability, something that people really want to use.

Participants comments

- Poor aesthetics (like tampons, medical looking, like Elmers glue)
- Wrong color
- Make it sexier –and streamline the design to resemble a sex toy or prostate stimulator
- I am blessed to not be diabetic, but this feels as though I have one of those mechanisms in my pocket
- Make it in a fun, curvaceous container

We need good branding



Both of these formulas are thicker that Platinum® to give long-lasting lubrica for anal play. They are paraben-free a lubricating so it is essential to use a g time you engage in anal play. Now k

Available in both Water-Based and
















We need the right color



LUBE

ALL PURPOSE NON-SPERMICIDAL LIERICATING GO







Sugar Free



We need an attractive, fun presentation





We need diverse products for diverse users



We need protection + sexual enhancement





A slow release or long acting microbicide may solve problems associated with timing of use


Sexual enhancement















We need a clever marketing campaign



We need a clever marketing campaign



My recipe for success

















Thank you!