

MTN-026
BEHAVIORAL MEASURES – ENGLISH

INTRODUCTION

SECTION 1: BASELINE BEHAVIORAL QUESTIONNAIRE

Table of Contents

Section:	Title:	Pages:
A	Demographics	4-5
T	Transgender Specific Questions	6
B	Sexual Behavior	7-15
C	Rectal Douche	16-19
D	Lubricant Use for RAI	20-23
E	Substance Use	24
F	PrEP (Pre-Exposure Prophylaxis)	25
G	Rectal Microbicides Intention	26
H	Motivations & Additional Comments	27

PROGRAMMER: Question logic is *italicized*. Skip patterns are in **CAPITALIZED BOLD**.

Thank you for agreeing to complete this questionnaire. Your responses will be kept confidential. To keep the information you provide private, personal information (name, address, phone number) will NOT be collected in this questionnaire. Before you begin, there are a few practice questions for you to get used to how the system works. If you have any questions on how to use the computer, the clinic staff can assist you.

If you prefer not to respond to a question, you may leave a question blank and click the "NEXT" button to go to the next question.

Click the "NEXT" button to go to the next screen.

Introduction [Page 2]

Good! You can always move to the next screen by clicking "next", or, to go to the previous screen, click "previous."

Click the "NEXT" button to go to the next screen.

[Question 1]

This question shows how to answer questions with click boxes. Try answering the question below by moving the mouse arrow and clicking on boxes that match your choices.

PRACTICE QUESTION:

Which items do you like to eat on a salad? *Indicate all that apply.*

[Answer options]

- Eggs
- Cheese
- Croutons
- Salad Dressing
- Carrots
- Bacon bits

This is an example of a question where more than one answer is allowed:

If you want to change your response, click the response you don't want again to de-select it and then select the answer(s) you do want.

[Question 2]

Do you like summer?

- Yes
- No

This is an example of a single response question:

If you want to change your response, simply click the response you want.

Practice [Question 3]

This screen is the last question type in this interview, and involves clicking on the point in the scale that most closely matches how you feel. Use the mouse to move the arrow to the desired place on the scale, and then click to make your choice.

PRACTICE QUESTION:

How thick do you like soup to be?

0	1	2	3	4
Very liquid	Somewhat liquid	Neither	Somewhat thick	Very thick

Ok. If you had any problem answering the prior questions, let the study staff know about it.
Otherwise, click “NEXT” and proceed with the first questionnaire.

SECTION A. DEMOGRAPHICS

A1. How old are you? _____ (In years)

A2. What is the highest education level you have completed?

1. Eighth grade or lower/Secondary School level 2 or lower
2. Partial high school/Partial Secondary School
3. High school graduate/Secondary School graduate
4. Partial college
5. College graduate
6. Partial graduate school
7. Graduate school degree

A3. Do you consider yourself...

1. Hispanic or Latino/a
2. Not Hispanic or Latino/a

A4. What sex were you assigned at birth, meaning what the doctor put on your original birth certificate?

1. Male
2. Female

A5. What is your current gender identity? That is, do you consider yourself... [CASI SKIP PATTERN: **ONLY GO TO SECTION T IF PARTCIPANT ANSWERS A5 = 3 or A5 = 4 OR A4=1 and A5 = 2 OR A4=2 and A5=1**]

1. Male
2. Female
3. Trans male/Trans man
4. Trans female/Trans woman
5. Genderqueer/Gender non-conforming
6. A gender not listed here, *please specify:* _____

A6. Do you consider yourself...

1. Gay/Lesbian/homosexual
2. Straight/heterosexual
3. Bisexual
4. Other, *please specify:* _____

A7. Do you currently have a primary sex partner? By primary sex partner we mean a person you have sex with on a regular basis or who you consider to be your main partner.

1. Yes
2. No

A8. Is your primary sex partner a man or a woman?

1. Man
2. Woman
3. Other, *please specify:* _____
4. I do not have a primary sex partner

A9. What is your relationship status?


1. Never married
2. Married
3. Widowed
4. Divorced

A10. Please check all that apply to your current occupational (job) status.

1. Full-time work (30+ hours per week)
2. Part-time work (1-29 hours per week)
3. In school full-time or part-time
4. Neither work nor in school
5. On disability
6. Other, *please specify:* _____

A11. Next we would like to ask you about your everyday emotions and experiences. The questions in this scale ask you about your feelings and thoughts during THE LAST MONTH. In each case, please indicate your response by choosing how often you felt a certain way.

Please choose the frequency you've experienced the following feelings/thoughts during the last month.



1. In the last month, how often have you been upset because of something that happened unexpectedly?
2. In the last month, how often have you felt that you were unable to control the important things in your life?
3. In the last month, how often have you felt nervous and "stressed"?
4. In the last month, how often have you felt confident about your ability to handle your personal problems?
5. In the last month, how often have you felt that things were going your way?
6. In the last month, how often have you found that you could not cope with all the things that you had to do?
7. In the last month, how often have you been able to control irritations in your life?
8. In the last month, how often have you felt that you were on top of things?
9. In the last month, how often have you been angered because of things that were outside your control?
10. In the last month, how often have you felt difficulties were piling up so high that you could not overcome them?

SECTION T. TRANSGENDER SPECIFIC QUESTIONS

T1. "How old were you when you FIRST sought out any form of medical gender affirmation services (i.e., hormones, surgery to transition)?"

| ____ | ____ | Years-old

T2. TypesMedicalAffirm "Which medical interventions have you used to affirm your gender? (check all that apply)"

1. Pubertal blockers (to inhibit puberty)
- 2 Hormones (estrogen or testosterone)
- 3 Breast Implants (breast augmentation)
- 4 Chest Reconstruction/ Mastectomy
- 5 Breast Reduction (no mastectomy)
- 6 Facial or neck surgery (for example, nose job, cheek implants, forehead lift, tracheal shave)
- 7 Abdominal surgery (hysterectomy, oophorectomy)
- 8 Lower feminizing surgery (vaginoplasty – creation of a vagina)
- 9 Lower masculinizing surgery (metoidioplasty, phalloplasty – creation of a microphallus or phallus)

T3. TGRecon "In order to ask you accurate questions about sexual behavior, we will first ask you about your body. We know some transgender people have gender affirming surgery (genital reconstruction such as the creation of a vagina or a penis). Have you had genital reconstruction (i.e., "lower" or "bottom" surgery)?"

1. Yes. I have had genital reconstruction [**IF T2 = 8 and T3 = 1, SKIP all male specific questions; IF T2 = 9 and T3 = 1, SKIP all female specific questions**]
2. No. I have not had genital reconstruction. I have my birth anatomy.

SECTION B. SEXUAL BEHAVIOR

The next set of questions will ask you about sexual behavior.

Let's briefly go over the definitions of some terms so that you understand what is being asked.

When I say: I mean:

Vaginal intercourse: When a person inserts his/her penis, finger or sex toy inside your vagina

Receptive anal
intercourse: When a person puts his/her penis, finger or sex toy into your anus (or butt)

Insertive anal
intercourse: When you penetrate your partner's anus or are the "top"

Receiving oral sex: When a partner puts his or her mouth or tongue on your penis (Fellatio), vagina (Cunnilingus) or anus/rectum (Analingus)

Giving oral sex: When you put your mouth or tongue in/on your partner's penis (Fellatio), vagina (Cunnilingus) or anus/rectum (Analingus)

SEXUAL BEHAVIOR WITH MEN

The next set of questions will be about your sexual behavior with men in the past month.

B1. During the past 30 days, how many male sexual partners have you had?

_____ Male sexual partner(s) [IF B1=0, SKIP TO B27]

B2. Of these [**import B1**], how many do you consider to be ... (Please put a number in each box. Enter 0 (zero) if none. Your answers must add up to _____ [CASI PROGRAMMER: ENTER NUMBER FROM B1]):

2.1 Lovers (men with whom you've felt emotionally involved in a committed relationship and with whom you had sex - like a spouse, fiancée, or boyfriend)

2.2 One-night stands (men with whom you had sex only once)

2.3 Other male partners (men with whom you had sex who are neither your lovers nor one-night stands)

Vaginal Intercourse (ask of people with a vagina)

During the past 30 days...

B3. How many men inserted their penis into your **vagina without** a condom?
_____ [IF 0, SKIP TO B7]

B4. How many times did your male partner(s) put his/their **penis** inside your **vagina without** a condom?

[CASI, IF B3 = 1 (I.E., THE PARTICIPANT REPORTS THAT SHE WAS PENETRATED BY ONLY ONE MAN WITHOUT A CONDOM), GO TO INSTRUCTIONS ABOVE B5; OTHERWISE SKIP TO INSTRUCTIONS ABOVE B6]

You said one man put his penis inside your vagina without a condom.

B5. Regarding this man *please select one answer...*

- 1. This man told you he was HIV negative and you had no reason to doubt it.
- 2. You knew this man was HIV positive.
- 3. You were not completely sure of this man's HIV status.

[CASI, IF B3 IS 2 OR MORE (I.E., THE PARTICIPANT REPORTS THAT SHE WAS PENETRATED BY TWO OR MORE MEN WITHOUT A CONDOM), GO TO INSTRUCTIONS ABOVE B6; OTHERWISE SKIP TO INSTRUCTIONS ABOVE B7]

B6. You said [import B3] men put their penis inside your vagina without a condom.

6.1 Of those men, how many had actually told you they were HIV-negative and you had no reasons to doubt it?

6.2 Of those men, how many do you know to be HIV-positive?

6.3 How many were you NOT completely sure about their HIV status?

Receptive Anal Intercourse

During the past 30 days...

B7. How many men inserted their **penises** inside your **rectum** without a condom?

_____ [IF B7 = 0; SKIP TO B11]

B8. How many times did your male partner(s) insert his/their **penis** inside your **rectum** without a condom? _____

[CASI, IF B7 = 1 (i.e., THE PARTICIPANT REPORTS THAT ONLY ONE MAN PENETRATED HIM WITHOUT A CONDOM), GO TO INSTRUCTIONS B9; OTHERWISE SKIP TO INSTRUCTIONS B10]

You said that one man put his penis inside your rectum without a condom.

B9. Regarding this man *please select one answer...*

- 1. This man told you he was HIV negative and you had no reason to doubt it.
- 2. You knew this man was HIV positive.
- 3. You were not completely sure of this man's HIV status.

[CASI, IF B7 IS 2 OR MORE (I.E., THE PARTICIPANT REPORTS THAT TWO OR MORE MEN PENETRATED HIM WITHOUT A CONDOM), GO TO INSTRUCTIONS B10; OTHERWISE SKIP TO INSTRUCTIONS B11]

B10. You said **[import B7]** men [CASI CAN INSERT THE NUMBER FROM THE PREVIOUS QUESTION (B7)] put their penises inside your rectum without a condom.

- 10.1 Of those men, how many had actually told you they were HIV-negative and you had no reasons to doubt it?

- 10.2 Of those men, how many do you know to be HIV-positive?

- 10.3 How many were you NOT completely sure about their HIV status?

Insertive Anal Intercourse

During the past 30 days...

B11. Into how many men's rectums did you insert your penis without a condom?
_____ **[IF 0, GO TO B15]**

B12. How many times did you put your penis in a man/men's rectum without a condom?

[CASI, IF B11 = 1 (I.E., THE PARTICIPANT REPORTS THAT HE PENETRATED ONLY ONE MAN WITHOUT A CONDOM), GO TO INSTRUCTIONS B13; OTHERWISE SKIP TO INSTRUCTIONS B14]

B13. You said you put your penis in one man's rectum without a condom.

Regarding this man *please select one answer...*

- 1. This man told you he was HIV negative and you had no reason to doubt it.
- 2. You knew this man was HIV positive.
- 3. You were not completely sure of this man's HIV status.

[CASI, IF B11 IS 2 OR MORE (I.E., THE PARTICIPANT REPORTS THAT HE PENETRATED TWO OR MORE MEN WITHOUT A CONDOM), GO TO INSTRUCTIONS ABOVE B14; OTHERWISE SKIP TO INSTRUCTIONS B15]

B14. You said you put your penis in **[import B11]** men's [CASI CAN INSERT THE NUMBER FROM THE PREVIOUS QUESTION (B11)] rectums without a condom.

14.1. Of those men, how many had actually told you they were HIV-negative and you had no reasons to doubt it?

14.2. Of those men, how many do you know to be HIV-positive?

14.3. How many were you NOT completely sure about their HIV status?

Oral Sex

Fellatio

During the past 30 days...

B15. How many men put their mouths on your penis without a condom?
_____ [IF 0, GO TO B18]

B16. How many times did a man put his mouth on your penis?
_____ [IF 0, GO TO B18]

B17. How many times did a man put his mouth on your penis without a condom?

B18. How many men's penises did you put in your mouth without a condom?
_____ [IF 0, GO TO B21]

B19. How many times did you put a man's penis in your mouth?
_____ [IF 0, GO TO B21]

B20. How many times did you put a man's penis in your mouth without a condom?

Cunnilingus

During the past 30 days...

B21. How many men put their mouth on (or tongue in) your vagina?
_____ [IF 0, GO TO B23]

B22. How many times did a man put his mouth on (or tongue in) your vagina?

Analingus

During the past 30 days...

B23. How many men's anuses did you put your mouth on (or tongue in)?
_____ [IF 0, GO TO B25]

B24. How many times did you put your mouth on (or tongue in) a man's anus?

B25. How many men put their mouth on (or tongue in) your anus?
_____ [IF 0, GO TO B27]

B26. How many times did a man put his mouth on (or tongue in) your anus?

SEXUAL BEHAVIOR WITH WOMEN

I will now ask you questions about your sexual behavior with women.

B27. During the past 30 days, how many female sexual partners have you had?
_____ [IF 0, SKIP TO B48]

B28. Of these [import B27] women, how many do you consider to be ... (Please put a number in each box. Enter 0 (zero) if none.):

28.1. Lovers (women with whom you've felt emotionally involved in a committed relationship and with whom you had sex - like a spouse, fiancée, or girlfriend)

28.2. One-night stands (women with whom you had sex only once)

28.3. Other female partners (women with whom you had sex who are neither your lovers nor one-night stands)

Vaginal Intercourse

During the past 30 days...

B29. How many women's vaginas did you penetrate with your **penis without** a condom?
_____ [IF 0, SKIP TO B33]

B30. How many times did you put your **penis** in a woman/women's **vagina(s)** without a condom?

[CASI, IF B29 = 1 (I.E., THE PARTICIPANT REPORTS THAT HE PENETRATED ONLY ONE WOMAN WITHOUT A CONDOM), GO TO INSTRUCTIONS ABOVE B31; OTHERWISE SKIP TO INSTRUCTIONS ABOVE B32]

You said you put your penis in one woman's vagina without a condom.

B31. Regarding this woman *please select one answer...*

- 1. This woman told you she was HIV negative and you had no reason to doubt it.
- 2. You knew this woman was HIV positive.
- 3. You were not completely sure of this woman's HIV status.

[CASI, IF B29 IS 2 OR MORE (I.E., THE PARTICIPANT REPORTS THAT HE PENETRATED TWO OR MORE WOMEN WITHOUT A CONDOM), GO TO INSTRUCTIONS ABOVE B32; OTHERWISE SKIP TO INSTRUCTIONS ABOVE B33]

B32. You said you put your penis in [**import B29**] women's [CASI CAN INSERT THE NUMBER FROM THE PREVIOUS QUESTION (B29)] vaginas without a condom.

32.1 Of those women, how many had actually told you they were HIV-negative and you had no reasons to doubt it?

32.2 Of those women, how many do you know to be HIV-positive?

32.3 How many were you NOT completely sure about their HIV status?

Insertive Anal Intercourse

During the past 30 days...

B33. How many women's rectum did you penetrate with your penis without a condom?
_____ **[IF 0, GO TO B37]**

B34. How many times did you put your penis inside a woman/women's rectum(s) without a condom?

[CASI, IF B33 = 1 (I.E., THE PARTICIPANT REPORTS THAT HE PENETRATED ONLY ONE WOMAN IN THE RECTUM WITHOUT A CONDOM), GO TO INSTRUCTIONS ABOVE B35; OTHERWISE SKIP TO INSTRUCTIONS ABOVE 36]

B35. You said you put your penis inside one woman's rectum without a condom.

Regarding this woman (please select one answer)...

- 1. This woman told you she was HIV negative and you had no reason to doubt it.
- 2. You knew this woman was HIV positive.
- 3. You were not completely sure of this woman's HIV status.

[CASI, IF B33 IS 2 OR MORE (I.E., THE PARTICIPANT REPORTS THAT HE PENETRATED TWO OR MORE WOMEN IN THE RECTUM WITHOUT A CONDOM), GO TO INSTRUCTIONS ABOVE B36; OTHERWISE SKIP TO INSTRUCTIONS ABOVE B37]

B36. You said you put your penis inside **[import B33]** women's [CASI CAN INSERT THE NUMBER FROM THE PREVIOUS QUESTION (B33)] rectums without a condom.

36.1. Of those women, how many had actually told you they were HIV-negative and you had no reasons to doubt it?

36.2. Of those women, how many do you know to be HIV-positive?

36.3. How many were you NOT completely sure about their HIV status?

Fellatio

During the past 30 days...

B37. How many women put their mouths on your penis without a condom?
_____ **[IF 0, GO TO B40]**

B38. How many times did a woman put her mouth on your penis?
_____ **[IF 0, GO TO B40]**

B39. How many times did a woman put her mouth on your penis without a condom?

Cunnilingus

During the past 30 days...

B40. How many women's vaginas did you put your mouth on (or tongue in)?
_____ **[IF 0, GO TO B42]**

B41. How many times did you put your mouth on (or your tongue in) a woman's vagina?

B42. How many women put their mouth on (or tongue in) your vagina?
_____ **[IF 0, GO TO B44]**

B43. How many times did a woman put her mouth on (or tongue in) your vagina?

Analingus

During the past 30 days...

- B44. How many women's anuses did you put your mouth on (or tongue in)?
_____ [IF 0, GO TO B46]
- B45. How many times did you put your mouth on (or tongue in) a woman's anus?

- B46. How many women put their mouth (or tongue in) your anus?
_____ [IF 0, GO TO B48]
- B47. How many times did a woman put her mouth (or tongue in) your anus?

Fisting

The next set of questions will ask you about fisting. For clarity, we will define the term.

Fisting, or Brachioproctic/Brachiovaginal Insertion, is a sexual practice that involves inserting a hand into the rectum or vagina.

- B48. Have you ever engaged in the sexual activity of fisting?
1. Yes
 2. No [IF NO, GO TO C1]

- B49. In the past 30 days have you engaged in the sexual activity of fisting?
1. Yes
 2. No [IF NO, GO TO C1]

During the past 30 days...

- B50. Did you engage in fisting with...
1. Men [GO TO B51 and SKIP B55-B58]
 2. Women [GO TO B55]
 3. Both men & women [GO TO B51]
 4. Neither [GO TO C1]

- B51. How many men fisted your rectum?
_____ [IF 0, GO TO B53]

- B52. How many times did a man fist your rectum?

- B53. How many men fisted your vagina?
_____ [IF 0, GO TO B55]

- B54. How many times did a man fist your vagina?

B55. How many women fisted your rectum? [IF 0, GO TO B57]

B56. How many times did a woman fist your rectum?

B57. How many women fisted your vagina? [IF 0, GO TO C1]

B58. How many times did a woman fist your vagina?

SECTION C. RECTAL DOUCHING

The following questions refer to rectal douching. For clarity, we will define the term.

A rectal douche, or enema, refers to water or a prepared liquid or substance that is inserted in your rectum or “butt” to clean it.

C1. Have you ever used a rectal douche?

1. Yes
2. No [IF C1 = 2; GO TO D1]

C2. How old were you when you used a **rectal douche** before **receptive anal intercourse** for the first time?

_____ Years

I've never douched before sex [IF C2 = 2, GO TO C6]

C3. What made you use a **rectal douche** before **receptive anal intercourse**? *Indicate all that apply*

- 1. To be clean
- 2. My sex partner suggested it
- 3. My friends talked about it
- 4. Other, *please specify:* _____

C4. How frequently do you give yourself a **rectal douche** before **receptive anal intercourse**?

1. Always
2. Frequently
3. Infrequently

C5. Typically, how long before **receptive anal intercourse** do you use a **rectal douche**?

1. Less than 30 minutes
2. 30 minutes to 1 hour
3. Between 1 and 2 hours
4. Between 2 and 3 hours
5. Between 3 and 4 hours

6. 4 hours or more

- C6. How old were you when you used a rectal douche after receptive anal intercourse for the first time?

_____ Years

I've never douched after sex [IF C6 = 2, GO TO C10]

- C7. What made you use a rectal douche after receptive anal intercourse? *Indicate all that apply*

- 1. To be clean
- 2. To prevent getting any sexually transmitted infections, including HIV, from my sex partner
- 3. My sex partner suggested it
- 4. My friends talked about it
- 5. Other, *please specify:* _____

- C8. How frequently do you give yourself a **rectal douche** after **receptive anal intercourse**?

- 1. Always
- 2. Frequently
- 3. Infrequently

- C9. Typically, how long after receptive anal intercourse do you use a rectal douche (in minutes)?

- 1. Less than 30 minutes
- 2. 30 minutes to 1 hour
- 3. Between 1 and 2 hours
- 4. Between 2 and 3 hours
- 5. Between 3 and 4 hours
- 6. 4 hours or more

- C10. How many times did you use a **rectal douche** in the past 3 (three) months?

_____ [IF C10 = 0, GO TO C19]

- C11. Of the [import C10] times you douched rectally in the past three months, how many times did you douche? *Indicate all that apply*

- a. For general hygiene _____
- b. In preparation for sex _____
- c. Following sex _____
- d. For pleasure _____

- e. When constipated _____
f. When ill _____
g. Other, *please specify*: _____ _____

C12. When you douched in the past three months, how many times did you use... *Indicate all that apply*

A. Hose apparatus

1. A non-disposable douche or enema bag system (neoprene or rubber bag, rubber hose, plastic clamp, and plastic or rubber nozzle) _____
2. A shower head hose and nozzle _____
3. A "sinker", a portable rubber or vinyl hose that attaches to a sink or bidet _____
4. Other (please specify: _____) _____

B. Pre packaged bulb apparatus

1. Over-the-counter disposable enema product (e.g., Fleet[®]) _____
2. Re-useable bulb enema _____
3. Vaginal douche in your rectum _____
4. Other (please specify: _____) _____

C13. When you use a rectal douche with a hose apparatus, how long do you usually run the water?

1. 15 seconds or less
2. 16 seconds to 1 minute
3. Between 1 and 4 minutes
4. 5 minutes or more

5. I don't use a hose apparatus for rectal douche

C14. Each time you use a rectal douche that is a pre-packaged product, do you typically go through your rectal douching procedure once or more than once?

1. Once
2. More than once

C15. Please estimate how far into your rectum you typically insert the applicator.

1. up to 1 inch
2. between 1 and 2 inches
3. between 2 and 3 inches
4. more than 3 inches

C16. Where do you typically use a rectal douche?

1. Toilet
2. Shower/tub
3. Sink
4. Bidet
4. Other, *please specify:* _____

C17. What temperature do you prefer when douching?

1. Hot
2. Warm
3. Cool
4. No preference

C18. In what position do you typically prefer to use a rectal douche?

1. Kneeling
2. Laying on side
3. Standing
4. Squatting or seated over toilet/tub
5. Other, *please specify:* _____

C19. Have you ever had an injury as a result of rectal douching?

1. Yes **[IF NO, SKIP TO C22]**
2. No

C20. How many times have you had an injury to the anus or rectum while douching in the past 3 months?

_____ **[If "0," SKIP to C22]**

C21. When injuries have occurred, what was the cause? *Indicate all that apply*

- _____ 1. Problems with the nozzle
_____ 2. Position played a role
_____ 3. Problems with the product
_____ 4. Other, *please specify:* _____

C22. Do you get cramps or any other kind of discomfort when you use a rectal douche?

1. Always
2. Frequently

3. Infrequently

4. Never

C23. When you use a rectal douche, how long does it usually take you before you have a bowel movement?

1. Occurs immediately

2. 1-5 minutes

3. More than 5 minutes

SECTION D. LUBRICANT USE FOR RAI

The following questions refer to commercial sexual lubricants. This does not include saliva or the lubricant that comes with condoms.

D1. How frequently do you use a commercial sexual lubricant when you have had **receptive anal intercourse?**

- | | |
|---------------------------------------|--|
| 1. <input type="checkbox"/> Never | [ASK D2 AND SKIP TO E1] |
| 2. <input type="checkbox"/> Sometimes | [ASK D2 AND CONTINUE WITH THIS SECTION] |
| 3. <input type="checkbox"/> Always | [SKIP D2 AND GO TO D3] |

D2. When you have NOT used a commercial sexual lubricant for receptive anal intercourse, why was that the case? *Indicate all that apply*

1. Sometimes I prefer dry sex
2. I disliked the lubricant
3. I used saliva
4. I used my vagina's natural lubricant (female only)
5. My partner was naturally lubricated (pre-cum)
6. I used condoms with lubricant
7. Lubricant was not available
8. I was in a rush
9. I couldn't afford to buy it
10. My partner refused
11. I used some products not intended for sex
12. Other, please specify: _____

D3. What types of commercial lubricants do you use (and/or what brand of lubricant do you prefer) for anal sex? *Indicate all that apply*

1. Silicon-based (e.g. Eros)
2. Water-based (e.g. KY, Wet)
3. Oil-based (e.g. Yes)
4. Hybrid (e.g. Sliquid – silicone & water)

D4. How satisfied are you with your current lubricant?

4	3	2	1	0
Very Satisfied	Somewhat Satisfied	Neither	Somewhat dissatisfied	Very Dissatisfied

D5. Where do you usually get your lubricant from?

1. Sex shop
2. Pharmacy/drug store
3. HIV Testing Agency
4. Bar, disco, sex club
5. Online
6. Other, *please specify:* _____

D6. Do you prefer a lubricant with...

1. No flavor
2. Flavor
3. It doesn't matter


D7. Do you prefer a lubricant with...

1. No color/transparent
2. Color
3. It doesn't matter

D8. Do you prefer a lubricant with...

1. Unscented/No scent
2. Scented
3. It doesn't matter

D9. What consistency do you prefer in a commercial lubricant?



D10. Choose your ideal type of dispenser for a lubricant.

1. Tube
2. Pump (like in Vaseline Intensive Care or Wet)
3. Containers with pop-up covers
4. Can or jar
5. Single use
6. Disposable tube
7. Other, *please specify:* _____

<input type="checkbox"/>	Tube	
<input type="checkbox"/>	Pump	
<input type="checkbox"/>	Containers with pop-up covers	
<input type="checkbox"/>	Can or jar	
<input type="checkbox"/>	Single use	
<input type="checkbox"/>	Disposable tube	
<input type="checkbox"/>	Other, please specify: _____	

D11. In general, when you have receptive anal intercourse, is the lubricant applied...: *Indicate all that apply*

1. Directly on your partner's penis
2. Around your anus (rim)
3. Inside your rectum
4. Inside the condom
5. On the outside of the condom
6. Other, *please specify:* _____

D12. When you are having receptive anal intercourse, who applies the lubricant?

1. Self
2. Partner
3. Both

D13. If you are going to have receptive anal intercourse, when is the lubricant first applied?

1. Before he penetrates you
2. After he first penetrates you

D14. How many times do you usually reapply the commercial lubricant during receptive anal intercourse?

1. Never
2. Once
3. Twice
4. 3 times or more

D15. From your past experiences, does the application of the lubricant interrupt sex?

1. It does not interrupt sex
2. It interrupts sex but does not bother me
3. It interrupts sex and bothers me

SECTION E. SUBSTANCE USE

The following questions refer to alcohol and drug use. Remember, your answers are confidential and will not be viewed by clinic staff.

E1. Now I will show you a list of different drugs. During the last 30 days, how often have you used each of the following substances?

GO DOWN “A” COLUMN FIRST. IF “0” FOR ANY SUBSTANCES, SKIP B FOR THOSE PARTICULAR SUBSTANCES.

	[A] Number of times used in past 30 days	[B] Number of times used before or during sex in past 30 days
a. Alcohol (beer, wine, liquor)	____ times	____ times
b. Marijuana/hashish/pot/weed	____ times	____ times
c. Ecstasy/MDMA	____ times	____ times
d. Crystal Meth/amphetamines/ methamphetamines/speed/crank/ice	____ times	____ times
e. Ketamine/special K	____ times	____ times
f. GHB (Gamma hydroxybutyrate)	____ times	____ times
g. Other hallucinogens/LSD/ mushrooms	____ times	____ times
h. Poppers/amyl nitrate/butyl nitrate	____ times	____ times
i. Crack	____ times	____ times
j. Cocaine (not crack)	____ times	____ times
k. Heroin	____ times	____ times
l. Any other pharmaceutical drugs not prescribed to you by a physician	____ times	____ times
m. Other, <i>please specify:</i> _____	____ times	____ times

E2. Thinking about the times you used alcohol during the last 30 days, how much did you typically use?

1. Too little to feel any effect
2. Enough to feel it a little
3. Enough to feel it a lot
4. Enough to get drunk
5. Enough to feel like you might pass out

SECTION F. PrEP (PRE-EXPOSURE PROPHYLAXIS)

Currently, researchers are examining a medical HIV prevention method called Pre-Exposure Prophylaxis, or PrEP. People who use Pre-Exposure Prophylaxis, or PrEP might have to take a pill either every day or at least a couple of hours prior to sex, to counteract or at least decrease the chances of becoming infected if they came in contact with HIV.

F1. Have you heard about pre-exposure prophylaxis (PrEP) before?

1. Yes
2. No [GO TO F3]

F2. How did you first hear about PrEP? Was it through... *Indicate all that apply*

1. A friend
2. The media
3. A medical provider
4. A sex partner
5. Online
6. Other, *please specify:* _____

There is some evidence that taking medication before sex may prevent someone from catching HIV.

F3. Have you ever taken any medication before having sex as protection against HIV?

1. Yes
2. No [IF NO, GO TO F6]

F4. What medication did you take?

F5. How did you get it?

1. Physician
2. Friend
3. Over the Internet
4. Other, *please specify:* _____

F6. Do you have any friends who take medication before having sex to avoid becoming HIV infected?

1. Yes
2. No
3. Not sure

F7. Please indicate your agreement with the following statements.

4 Strongly Agree	3 Agree	2 Neutral	1 Disagree	0 Strongly Disagree
---------------------	------------	--------------	---------------	------------------------

I would not take anti-HIV drugs because I am concerned about their side effects.

I would know how to get anti-HIV drugs if I wanted them.

I could not afford anti-HIV drugs.

SECTION G. RECTAL MICROBICIDE INTENTIONS

Scientists are trying to develop alternatives to condoms for the prevention of HIV transmission during intercourse. Microbicides could be one such alternative.

G1. If a rectal microbicide were available that provided some protection against HIV, and it came in the form of a gel (microbical gel), how likely would you be to use it every time you have **receptive anal intercourse**?

0	1	2	3	4
Extremely Unlikely	Unlikely	Neither	Likely	Extremely Likely

G2. How likely would you be to use it every time you have **receptive anal intercourse** with a **lover**?

0	1	2	3	4
Extremely Unlikely	Unlikely	Neither	Likely	Extremely Likely

G3. How likely would you be to use a microbicidal gel every time you have **receptive anal intercourse** with a **one-night stand**?

0	1	2	3	4
Extremely Unlikely	Unlikely	Neither	Likely	Extremely Likely

G4. How likely would you be to use a microbicidal gel every time you have **receptive anal intercourse** with other partners, men who were neither your **lovers** nor **one-night stands**?

0	1	2	3	4
Extremely Unlikely	Unlikely	Neither	Likely	Extremely Likely

G5. How likely would you be to use a microbicidal gel for receptive anal intercourse if you were using alcohol or drugs?

0	1	2	3	4
Extremely Unlikely	Unlikely	Neither	Likely	Extremely Likely

G6. If a rectal microbicide were available that provided some protection against HIV, and it came in the form of a suppository, how likely would you be to use it every time you have receptive anal intercourse?

0	1	2	3	4
Extremely Unlikely	Unlikely	Neither	Likely	Extremely Likely

G7. If a rectal microbicide were available that provided some protection against HIV, and it came in the form of an enema, how likely would you be to use it every time you have receptive anal intercourse?

0	1	2	3	4
Extremely Unlikely	Unlikely	Neither	Likely	Extremely Likely

SECTION H. MOTIVATION & ADDITIONAL COMMENTS

H1. Please indicate the top 3 main reason(s) you joined this research study.

1. To receive the financial reimbursement
2. To be provided with free health care during the study, or to get higher quality health care
3. To be tested for HIV

4. To get educated or find out more about HIV
5. To help test a product that may prevent men and women from getting HIV
6. To contribute to scientific knowledge
7. To satisfy my curiosity about participating in a study
8. A friend/family member recommended that I join the study
9. I am worried about getting infected with HIV
10. My health care provider recommended I join the study
11. Other, *please specify:* _____

We are close to the end of the interview.

H2. Is there anything that we haven't asked that you think we should have?

[Open text response]

This is the end of the interview. Thank you for completing this questionnaire!