

MTN015 Non-ART Concomitant Medication Code List

HORMONAL CONTRACEPTION	OPPORTUNISTIC INFECTION PROPHYLAXIS/TREATMENTS
01 Medroxyprogesterone acetate (Depo provera)	40 Acyclovir
02 Norethisterone acetate	41 Famciclovir
03 Levonorgestrel/estrogen	42 Valacyclovir
04 Other hormonal contraceptive not listed	43 Fluconazole
	44 Itraconazole
	45 Ketoconazole
PREVENTION OF MOTHER-TO-CHILD TRANSMISSION (pMTCT)	46 Trimethoprim & sulfamethoxazole (TMP/SMZ)
38 Zidovudine	47 Dapsone
39 single-dose Nevirapine (sdNVP)	48 Intravenous pentamidine
	49 Aerosolized pentamidine
	50 Clarithromycin
	51 Azithromycin
	52 Rifabutin
	53 Isoniazid
	54 Rifampin
	55 Pyrazinamide
	56 Ganciclovir (po, implant, iv)
	57 Foscarnet
	58 Cidofovir
	59 Valganciclovir
	60 Pyrimethamine
	61 Leucovorin
	62 Sulfadiazine
	99 Other (specify medication on CRF)

MTN015 HIV/AIDS-associated Events Code List

Items with "*" are AIDS-defining illnesses (per App. V)

<p>BACTERIAL</p> <p>01 bacterial gastroenteritis/diarrhea, persistent, > 1 month</p> <p>02 * recurrent bacterial pneumonia, this episode plus one or more episodes in last six months</p> <p>24 * disseminated non-tuberculosis mycobacteria infection</p> <p>27 * extrapulmonary tuberculosis</p> <p>30 * pneumocystis pneumonia</p> <p>31 pneumocystosis, extrapulmonary</p> <p>34 * recurrent non-typhoid Salmonella bacteraemia</p> <p>42 recurrent upper respiratory tract infections (current event plus one or more in last six month period)</p> <p>48 * pulmonary tuberculosis, current</p> <p>49 * severe bacterial infection, such as pneumonia, meningitis, empyema, pyomyositis, bone or joint infection, bacteraemia and severe pelvic inflammatory disease</p> <p>NEOPLASM</p> <p>04 Burkitt's lymphoma</p> <p>06 * invasive cervical carcinoma</p> <p>21 * Kaposi sarcoma</p> <p>32 * lymphoma (cerebral or B-cell non-Hodgkin)</p> <p>FUNGAL</p> <p>05 candidiasis of bronchi/trachea/lungs when obtained by tissue specimen</p> <p>08 * disseminated mycosis (coccidioidomycosis, histoplasmosis, or blastomycosis)</p> <p>10 * extrapulmonary cryptococcosis, including meningitis</p> <p>15 * persistent oral candidiasis</p> <p>46 fungal nail infection</p> <p>54 * oesophageal candidiasis</p> <p>PROTOZOAL</p> <p>09 * chronic cryptosporidiosis (with diarrhea lasting more than 1 month)</p> <p>20 * chronic isosporiasis</p> <p>22 * atypical disseminated leishmaniasis</p> <p>36 * central nervous system toxoplasmosis</p> <p>37 toxoplasmosis, non-CNS, disseminated</p>	<p>VIRAL</p> <p>12 * cytomegalovirus disease (other than liver, spleen, or lymph node)</p> <p>13 * cytomegalovirus retinitis</p> <p>16 herpes simplex, esophagitis</p> <p>17 herpes simplex bronchitis, pneumonitis</p> <p>33 * progressive multifocal leukoencephalopathy</p> <p>38 herpes zoster (shingles)</p> <p>53 * chronic herpes simplex virus infection (orolabial, genital or anorectal) of more than one month or visceral infection of any duration</p> <p>ORAL</p> <p>39 angular cheilitis</p> <p>43 recurrent oral ulceration (two or more episodes in the last 6 months)</p> <p>47 * oral hairy leukoplakia</p> <p>50 * acute necrotizing ulcerative gingivitis or necrotizing ulcerative periodontitis</p> <p>SYMPTOMS</p> <p>14 * HIV encephalopathy</p> <p>44 papular pruritic eruption</p> <p>45 seborrhoeic dermatitis</p> <p>60 * unexplained chronic diarrhea for longer than one month</p> <p>61 * unexplained persistent fever (intermittent or constant and lasting for longer than one month)</p> <p>51 * unexplained anemia (<8 g/dl), neutropenia (<0.5 x 10⁹ per litre), or chronic (more than one month) thrombocytopaenia (<50 x 10⁹ per litre)</p> <p>55 * symptomatic HIV-associated nephropathy</p> <p>56 * symptomatic HIV-associated cardiomyopathy</p> <p>57 persistent generalized lymphadenopathy</p> <p>WEIGHT</p> <p>40 * unexplained severe weight loss (more than 10% of body weight)</p> <p>41 unexplained moderate weight loss (<10% of body weight)</p> <p>52 * HIV wasting syndrome</p>
--	--

MTN015 Antiretroviral Medication Code List

01	Abacavir (ABC; Ziagen)	
02	Amprenavir (APV; Agenerase)	
03	Atazanavir (ATV; Reyataz)	
04	Delavirdine mesylate (DLV; Rescriptor)	
05	Didanosine (ddI; Videx)	
06	Didanosine Delayed Release Capsules (ddI-EC; Videx-EC)	
07	Efavirenz (EFV; Sustiva; Stocrin)	
08	Emtricitabine (FTC; Emtriva, Coviracil)	
09	Enfuvirtide, (ENF; Fuzeon)	
10	Fosamprenavir (FPV; Lexiva; Telzir)	
11	Indinavir (IDV; Crixivan)	
12	Lamivudine (3TC; Epivir)	
13	Nelfinavir (NFV; Viracept)	
14	Nevirapine (NVP; Viramune)	
15	Ritonavir (RTV; Norvir)	
16	Saquinavir Hard-Gel Capsules (SQV; Invirase)	
17	Saquinavir Soft-Gel Capsules (SQV; Fortovase)	
18	Stavudine (d4T; Zerit)	
19	Tenofovir Disproxil Fumerate (TDF; Viread)	
20	Tipranavir (Aptivus)	
21	Zidovudine (AZT, ZDV, Retrovir)	
22	Darunavir (Prezista)	
23	Raltegravir (Isentress)	
24	Etravirine (Intelence)	
25	Lopinavir (Kaletra)	
26	Maraviroc (Selzentry)	
27	Odimune (Atroiza, Tribuss; Efavirenz, Emtracitabine, Tenofovir)	
98	Antiretroviral Placebo	
99	Other (antiretroviral not listed above)	

During the study, new codes may be added as needed. If a drug used at your site is not listed, use code "99" and contact the SCHARP Project Manager to get a new medication code assigned.

MTN015 Antiretroviral Medication Stop Code List

LABORATORY/CLINICAL TOXICITIES	CLINICAL EVENT OR PROGRESSION
<ul style="list-style-type: none"> 33 rash 34 allergic reaction 35 anemia 36 bleeding 37 CNS related symptoms 38 diarrhea 39 fatigue 40 fever 41 headache 42 hepatotoxicity 43 hyperamylasemia 44 hyperbilirubinemia 45 hypercreatinemia 46 hyperglycemia 47 hypertriglyceridemia 48 hyperuricemia 49 myalgia 50 myositis 51 nausea 52 neuropsych/mood 53 neutropenia 54 pancreatitis 55 peripheral neuropathy 56 renal colic 57 renal insufficiency 58 renal stones 59 thrombocytopenia 60 vomiting 62 elevated creatinine phosphokinase (CPK) 63 abdominal pain 64 lactic acidosis 	<ul style="list-style-type: none"> 70 requires contraindicated medication 71 pregnancy 72 pregnancy ended 73 weight change 74 virologic failure 77 lipodystrophy <p style="margin-top: 10px;">CLINICIAN/SUBJECT REQUESTS</p> <ul style="list-style-type: none"> 80 clinician decision 81 subject/guardian decision 82 compliance issue <p style="margin-top: 10px;">DOSE CHANGE/COMPLETED THERAPY</p> <ul style="list-style-type: none"> 88 dose change 89 completed therapy <p style="margin-top: 10px;">DEATH</p> <ul style="list-style-type: none"> 90 death <p style="margin-top: 10px;">OTHER</p> <ul style="list-style-type: none"> 99 other reason not listed