

**MTN 035 Product Use End Visit Behavioral Survey  
Rectal suppository**

Table of Contents

Section:	Title:	Pages:
A	PSYCHOSOCIAL	
B	PRODUCT USE & ADHERENCE	
C	PRODUCT ACCEPTABILITY	
D	PRODUCT-RELATED PROBLEMS	
E	SEXUAL BEHAVIOR	
F	SUBSTANCE USE	
G	SOCIAL INFLUENCE	
H	RECOMMENDATIONS	

PROGRAMMER: Logic checks are in *italics*. Skip patterns are in **CAPITALIZED BOLD**.

## SECTION A. PSYCHOSOCIAL

---

A1. First we would like to ask you about your everyday emotions and experiences. **Since you last completed this survey**, how often have you...

[Response options for 1=Never, 2=Almost never, 3=Sometimes, 4=Fairly often, 5=Very often]

- a. Been upset because of something that happened that you didn't expect?
- b. Felt nervous and "stressed out"?
- c. Found that you could not deal with all the things that you had to do?
- d. Gotten angry because of things that happened that were outside of your control?
- e. Felt that you had so many problems that you could not deal with them?
- f. Felt that you were able to successfully handle the important changes occurring in your life?
- g. Felt able to handle your personal problems?
- h. Felt that things were going your way?
- i. Been able to control hassles in your life?
- j. Felt that you were on top of things?
- k. Been able to control the way to spend your time?

## SECTION B. Rectal suppository Use & Adherence

---

The following questions refer to your use of the rectal suppository over the past 4 weeks.

You were asked to insert the **rectal suppository** in your rectum at least once a week during the past 4 weeks. However, for different reasons, people can encounter difficulties using the rectal suppository.

B0. Thinking about your experience during these past four weeks, how many weeks did you miss a rectal suppository application?

1. 0 weeks
2. 1 week
3. 2 weeks
4. 3 weeks
5. 4 weeks [SKIP TO B4B]

During this 4-week period you were asked to insert the rectal suppository in your rectum before anal sex or to use it once per seven-day period if you didn't have sex during that seven-day period. However, for different reasons, many people have difficulties doing this.

B1. How many times did a partner put a penis in your rectum during the past 4 weeks? \_\_\_\_\_

[IF B1 = 0, GO TO B4]

B2. **Of those [B1] times**, how many times did you use the rectal suppository BEFORE receptive anal sex?

(If you did not use the rectal suppository prior to anal sex, please enter '0'.)

\_\_ time(s) [IF 0, SKIP TO B3]

B2a. Typically, how long before **receptive anal sex** did you insert the **rectal suppository**?

1. Less than 15 minutes
2. Between 15 minutes and 30 minutes
3. Between 30 minutes and 1 hour
4. Between 1 and 2 hours
5. Between 2 and 3 hours
6. Between 3 and 4 hours
7. 4 hours or more

B2b. Typically, how many suppositories did you use before each receptive anal sex occasion?

1. One rectal suppository
2. Two suppositories
3. Three or more suppositories

B2c. When you used a rectal suppository before receptive anal sex, how often did you use a rectal douche/enema before inserting the rectal suppository?

1. Never

2. Rarely
3. Sometimes
4. Often
5. Always

B2d. When you used a rectal suppository before receptive anal sex, how often did you use a rectal lubricant before inserting the rectal suppository?

1. Never
2. Rarely
3. Sometimes
4. Often
5. Always

B2e. What motivated you to use the **rectal rectal suppository BEFORE receptive anal sex**?  
*Indicate all that apply*

1. To follow the study procedures
2. I usually use a rectal suppository before receptive anal sex
3. I wanted to have a bowel movement
4. My sex partner suggested that I use a rectal suppository before sex
5. Other, *please specify*: \_\_\_\_\_

B2f. **[IF B2 ≠ B1]** Which of the following prevented you from using the rectal suppository before sex? (Check all that apply).

- I forgot
- I did not have the rectal suppository with me
- I didn't have enough time to use the rectal suppository before anal sex
- My sexual partner did not want me to use the rectal suppository
- I did not have the privacy needed to use the rectal suppository
- I did not like the rectal suppository
- The rectal suppository made me feel ill
- I was drinking or using drugs
- There was a change in my regular routine
- I felt like people judged me for using a rectal suppository
- Other, specify \_\_\_\_\_

**B3. Of those [B1] times that a partner put a penis in your rectum over the past 4 weeks,** how many times did you use the study-provided rectal suppository **AFTER** receptive anal sex?  
 (If you did not use the rectal suppository **AFTER** anal sex, please enter '0'.)

\_\_ time(s) **[IF 0, SKIP TO B4]**

B3a. Typically, how long after **receptive anal sex** did you use a **rectal suppository**?

1. Less than 15 minutes
2. Between 15 minutes and 30 minutes
3. Between 30 minutes and 1 hour

4. Between 1 and 2 hours
5. Between 2 and 3 hours
6. Between 3 and 4 hours
7. 4 hours or more

B3b. Typically, how many **rectal suppositories** did you use the **rectal suppository** after receptive anal sex?

1. One rectal suppository
2. Two suppositories
3. Three or more suppositories

B3c. What made you use a **rectal suppository** AFTER **receptive anal sex**? *Indicate all that apply*

1. I usually use a rectal suppository after receptive anal sex
2. I wanted to have a bowel movement
3. My sex partner suggested that I use a rectal suppository after sex
4. Other, *please specify*: \_\_\_\_\_

B4. During the past 4 weeks, how many times did seven days go by in which you did NOT have receptive anal sex? \_\_\_\_\_ **[IF B4 = 0, GO TO B5]**

B4a. During those [B4] weeks, how many times did you use the rectal suppository at least once per week? \_\_\_\_\_

B4b. **[IF B0=5 OR B4a ≠ B4]** Which of the following prevented you from using the rectal suppository? (Check all that apply).

- I forgot
- I did not have the rectal suppository with me
- My sexual partner did not want me to use the rectal suppository
- I did not have the privacy needed to use the rectal suppository
- I did not like the rectal suppository
- The rectal suppository made me feel ill
- I was drinking or using drugs
- There was a change in my regular routine
- My work/school schedule got in the way
- I was worried about the long-term effects of the rectal suppository on my health
- I was worried my friends would find out that I was using a rectal rectal suppository
- I was worried my family would find out that I was using a rectal suppository
- I was worried my sexual partners would find out I was using a rectal suppository
- I felt like people judged me for using a rectal suppository
- Other, specify \_\_\_\_\_

B5. Besides the rectal rectal suppository, did you use any other rectal products (e.g., douche/enemas, other suppositories) over the past 4 weeks?


1. Yes
2. No [GO TO B6]

B5a. [If B5=1] Which of the following products did you use? (Check all that apply)

- Over-the-counter disposable enema product (e.g., Fleet®)
- A vaginal douche (e.g., Summer's Eve®) in your rectum
- A non-disposable douche or enema bag system (neoprene or rubber bag, rubber hose, plastic clamp, and plastic or rubber nozzle)\_\_\_\_ \_\_
- A shower head hose and nozzle
- A "sinker", a portable rubber or vinyl hose that attaches to a sink or bidet
- Re-useable bulb enema
- Non-study suppositories (e.g., for hemorrhoids)
- Other (please specify:\_\_\_\_\_)

B5b. [IF B2 > 0 AND/OR B4a > 0] What percentage of time did you use another rectal rectal suppository?

Visual Analog Scale:



B6. Typically, how far into your rectum did you typically insert the rectal suppository?

1. up to 1 inch
2. between 1 and 2 inches
3. between 2 and 3 inches
4. more than 3 inches

B7. Where did you typically insert the rectal rectal suppository?

1. Toilet
2. Shower/tub
3. Sink
4. Bidet
5. Bathroom floor
6. Other, *please specify*: \_\_\_\_\_

B8. In what position did you typically prefer to insert the rectal rectal suppository?

1. Kneeling
2. Laying on side
3. Standing
4. Squatting or seated over toilet/tub
5. Other, *please specify*: \_\_\_\_\_

B9. How often did you need to apply lubricant before inserting the rectal suppository?

1. Never
2. Rarely
3. Sometimes
4. Often
5. Always

B10. When you use a rectal rectal suppository, how long does it usually take you before you have a bowel movement?

1. Occurs immediately
2. 1-5 minutes
3. More than 5 minutes
4. I did not have a bowel movement after using the rectal rectal suppository

B13. Did you give the study rectal suppository to another person to use?

1. Yes
2. No [GO TO SECTION C]

B14. How many suppositories did you give to another person? \_\_\_\_\_

B15. I gave the rectal suppository to (check all that apply)

- \_\_\_ 1. A family member
- \_\_\_ 2. A friend
- \_\_\_ 3. A partner
- \_\_\_ 4. A person who wanted to buy it
- \_\_\_ 5. A person who has HIV
- \_\_\_ 6. Other (please specify: \_\_\_\_\_)

B16. Why did you give the study rectal suppository to [Q15]?

---

---

---

### **SECTION C. Rectal suppository ACCEPTABILITY**

---

The following questions are about your overall experience with the rectal rectal suppository.

C1. **Overall**, how much did you like the rectal rectal suppository used as part of this study?

1—2—3—4—5—6—7—8—9—10

Disliked

Liked

very much

very much

C1a. How much did you like the color of the rectal suppository?

1. Disliked very much
2. Disliked
3. Liked
4. Liked very much

C1b. How much did you like the taste of the rectal suppository?

1. Disliked very much
2. Disliked
3. Liked
4. Liked very much
5. Don't know, I did not taste the rectal suppository


C1c. How much did you like the smell of the rectal suppository?

1. Disliked very much
2. Disliked
3. Liked
4. Liked very much
5. Don't know, I did not smell the rectal suppository


C1d. How much did you like the consistency of the rectal suppository (how thick or thin it was)?

1. Disliked very much
2. Disliked
3. Liked
4. Liked very much


C1e. How much did you like how the rectal suppository felt inside your rectum immediately after inserting it?




C1f. How much did you like how the rectal suppository felt inside your rectum 30 minutes after inserting it?



C2. If it were available, how likely would you be to continue using the rectal rectal suppository provided as part of this study?



C3. How likely would you be to recommend the rectal rectal suppository to your friends?



C4. Compared to other rectal suppositories that you may have used in the past, how satisfied were you with the rectal rectal suppository used in this study?

1. Very satisfied
2. Satisfied
3. Neutral
4. Dissatisfied
5. Very dissatisfied
6. I had never used a rectal rectal suppository in the past

C5. [IF B2 > 0] **Overall**, how easy or difficult was it to use the rectal rectal suppository BEFORE having receptive anal sex?

1—2—3—4—5—6—7—8—9—10

Very Difficult Very Easy

C6. **Overall**, how easy or difficult was it to insert the rectal rectal suppository?

1—2—3—4—5—6—7—8—9—10

Very Difficult Very Easy

C7. The **last time** you inserted the rectal suppository into your rectum, how difficult or easy was it to insert?

1—2—3—4—5—6—7—8—9—10

Very Difficult Very Easy

The following questions are about any changes that you may have experienced while using the rectal rectal suppository over the past 4 weeks.

C8. Did your douching practices change over the past 4 weeks?

1. No, I douched as frequently as I typically do
2. Yes, I douched less frequently than I typically do
3. Yes, I douched more frequently than I typically do
4. Not applicable, I don't douche

C9. **Overall**, how did it feel to use the study rectal suppository over the past 4 weeks?

1—2—3—4—5—6—7—8—9—10

Very Uncomfortable Very Comfortable

C10. Please indicate how hard or easy it would be for you to do each of the following things.

[1] Very Easy to Do	[2] Fairly Easy	[3] Fairly Hard	[4] Very Hard to Do
------------------------	--------------------	--------------------	------------------------

- a. To use the **rectal rectal suppository** every time BEFORE having sex?
- b. To discuss your use of the **rectal rectal suppository** with a sexual partner BEFORE having sex?
- c. To discuss your use of the **rectal rectal suppository** with a sexual partner AFTER having sex?
- d. To use the **rectal rectal suppository** while under the influence of alcohol or drugs?
- e. To keep the **rectal rectal suppository** stored in a private location?

f. To discretely dispose of the **rectal rectal suppository** after use?

C11. How much did you like the packaging of the rectal suppository?

1—2—3—4—5—6—7—8—9—10

Disliked Liked

very much very much

C12. How easy would it be to carry the rectal suppository around if you needed to?

1—2—3—4—5—6—7—8—9—10

Extremely Extremely

difficult easy

#### **SECTION D. RECTAL SUPPOSITORY PROBLEMS**

---

Now we would like to ask you about any problems you experienced while using the study rectal suppository over the past 4 weeks.

D0. Over the past 28 days, on how many days did you experience any physical discomfort because of the rectal suppository?

\_\_\_\_\_ day(s) [IF D0=0, GO TO D1]

D0b. Overall, how much did the physical discomfort bother you?

1. Not at all
2. A little
3. Somewhat
4. Very much

D1. Did you experience any leakage or soiling after using the rectal suppository?

1. None [GO TO D2]
2. Some
3. A lot

D1b. How much were you bothered by the leakage or soiling?

1. Not at all
2. A little
3. Somewhat
4. Very much

D2. After using the rectal suppository, did you experience any unexpected diarrhea?

1. None [GO TO D3]
2. Some
3. A lot

D2b. How much were you bothered by the unexpected diarrhea?

1. Not at all
2. A little
3. Somewhat
4. Very much

D3. After inserting the rectal suppository, did you experience any other unexpected stomach or abdominal problems (such as cramps, bloating, gassiness or passing wind or urge to have a bowel movement)?

1. None [GO TO D4]
2. Some
3. A lot

D3b. How much were you bothered by these stomach or abdominal problems?

1. Not at all
2. A little
3. Somewhat
4. Very much

D4. Over the past 28 days, on how many days did you experience any pain because of the rectal suppository?

\_\_\_\_\_ day(s) **[IF D4=0, SKIP TO D5]**

D4b. Overall, how much did the pain bother you?

1. Not at all
2. A little
3. Somewhat
4. Very much

D5. Did the rectal suppository cause you any emotional discomfort such as feeling worried, guilty or any other unpleasant feelings?

0. No [GO TO D6]
1. Yes

D5b. Overall, how much did this emotional discomfort bother you?

1. Not at all
2. A little
3. Somewhat
4. Very much

D6. During the four weeks in which you were asked to use the rectal suppository, how did it affect your sexual enjoyment?

1. My sexual enjoyment was not affected at all
2. I had less sexual enjoyment than usual
3. I had more sexual enjoyment than usual

D7. [IF B2 > 0] Compared to prior times when you have had receptive anal sex, how different did you feel while having anal sex after using the **rectal suppository** before sex?

1. Not at all
2. A little
3. Somewhat
4. Very different

D8. [IF B2 > 0] How did the rectal suppository affect your sexual pleasure?

1. Increased my sexual pleasure
2. Did not change my sexual pleasure
3. Decreased my sexual pleasure

D8b. How much were you bothered by having to wait a while to have sex after inserting the rectal suppository?

1—2—3—4—5—6—7—8—9—10  
Not at all Very much

D9. [IF B2 > 0] How did the rectal suppository affect **your sex partner's** sexual pleasure?

1. Increased my partner's sexual pleasure
2. Did not change my partner's sexual pleasure
3. Decreased my partner's sexual pleasure
4. Don't know

D10. Over the past 4 weeks, did any of your partners have a negative reaction regarding your use of the rectal suppository?

1. No
2. Yes, (please specify:\_\_\_\_\_)

D11. Over the past 4 weeks, did any of your partners have a positive reaction regarding your use of the rectal suppository?

1. No
2. Yes, (please specify:\_\_\_\_\_)

D12. Over the past 4 weeks, did you have an injury as a result of using the rectal suppository?

1. Yes **[IF NO, SKIP TO NEXT SECTION]**
2. No

D13. How many times have you had an injury to the anus or rectum due to using the rectal suppository in the past 28 days?

\_\_\_\_\_ **[If "0," SKIP to NEXT SECTION]**

D14. When injuries have occurred, what was the cause? *Indicate all that apply*

1. Problems with the rectal suppository
2. Position played a role
4. Insufficient lubrication
5. Other, *please specify*: \_\_\_\_\_

## **SECTION E. SEXUAL BEHAVIOR**

---

First, we will ask you questions about your body.

E1. Do you currently have a penis?

\_\_\_\_\_ 1 Yes [SKIP TO Q3]

\_\_\_\_\_ 2 No

[IF REFUSE TO ANSWER, ask:]

You selected "Refuse to answer." If you do not answer this question, you may be asked questions about your sexual behavior that do not apply to you. Please confirm your answer.

1. Yes, I refuse to answer

2. No, I want to change my answer

E2. Do you currently have a vagina?

\_\_\_\_\_ 1 Yes

\_\_\_\_\_ 2 No

[IF REFUSE TO ANSWER, ask:]

You selected "Refuse to answer." If you do not answer this question, you may be asked questions about your sexual behavior that do not apply to you. Please confirm your answer.

1. Yes, I refuse to answer

2. No, I want to change my answer

### **RECENT SEXUAL BEHAVIOR**

E3. In the past 30 days, how many people have you had **sex** with? (Sex can include anal sex, vaginal sex, oral sex, or anilingus).

[IF REFUSE TO ANSWER, ask:]

You selected "Refuse to answer." If you do not answer this question, you may be asked questions about your sexual behavior that do not apply to you. Please confirm your answer.

1. Yes, I refuse to answer

2. No, I want to change my answer

[If E3=1, ask 4.1. If E3> 1, ask 4.2.]

E4.1. You said you had **sex** with *one* person in the past 30 days. Please indicate whether this person was a....

- 1 Man
- 2 Woman
- 3 Transgender man
- 4 Transgender woman

[IF REFUSE TO ANSWER, ask:]

You selected "Refuse to answer." If you do not answer this question, you may be asked questions about your sexual behavior that do not apply to you. Please confirm your answer.

- 1. Yes, I refuse to answer
- 2. No, I want to change my answer

E4.2. You said you had **sex** with [E4] people in the past 30 days. Please indicate how many of these people were men, women, or transgender. Note that your answers must add up to [E4].

- 1 Men
- 2 Women
- 3 Transgender man
- 4 Transgender woman

[IF REFUSE TO ANSWER, ask:]

You selected "Refuse to answer." If you do not answer this question, you may be asked questions about your sexual behavior that do not apply to you. Please confirm your answer.

- 1. Yes, I refuse to answer
- 2. No, I want to change my answer

[SKIP PATTERNS WILL BE BASED ON ANSWERS TO ANATOMY AND PARTNER' S GENDER]

E5. During the past 30 days, how many times did you have **vaginal sex**, when you put your **penis** into a partner's **vagina**? \_\_\_\_\_ [RANGE 0-900]

E6. Of the [E5] times you had **vaginal sex**, how many times did you put your **penis** into a partner's **vagina** without a condom, even for a little while? \_\_\_\_\_

E7. During the past 30 days, how many times did you have **insertive anal sex**, when you put your **penis** into a partner's **rectum**? \_\_\_\_\_

E8. Of the [E7] times you had **insertive anal sex**, how many times did you put your **penis** into a partner's rectum without a condom, even for a little while? \_\_\_\_\_

E9 During the past 30 days, how many times did you have **receptive anal sex**, when a partner's penis was in your rectum? \_\_\_\_\_

E10. Of the [E9] times you had **receptive anal sex**, how many times was a partner's penis in your **rectum** without a condom, even for a little while? \_\_\_\_\_

Now we would like to ask you about oral sex:

E11. During the past 30 days, how many times did you put your mouth on a partner's **penis**? \_\_\_\_\_

E12. During the past 30 days, how many times did a partner put their mouth on your **penis**? \_\_\_\_\_

E13. During the past 30 days, how many times did you put your mouth on a partner's **anus**? \_\_\_\_\_

E14. During the past 30 days, how many times did a partner put their mouth on your **anus**?  
\_\_\_\_\_

E15. During the past 30 days, how many times did you put your mouth on a partner's **vagina**?  
\_\_\_\_\_

E16. During the past 30 days, how many times did a partner put their mouth on your **vagina**?  
\_\_\_\_\_

E17. During the past 30 days, how many times did you have **vaginal sex**, when a partner's penis was in your vagina? \_\_\_\_\_

E18. Of the [E17] times you had **vaginal sex**, how many times was a partner's penis in your **vagina** without a condom, even for a little while? \_\_\_\_\_

The next two questions refer to exchanging sex for money or other goods or services. Remember, your answers are confidential and will not be viewed by clinic staff.

E19. During the past 30 days, how many times did you receive money or other goods or services in exchange for sex? \_\_\_\_\_

E20. During the past 30 days, how many times did you pay money or provide other goods or services in exchange for sex? \_\_\_\_\_

E21. Please leave us any comments you have about this sexual behavior questionnaire, especially if you thought these questions did not apply to you:

---

---

**SECTION F. SUBSTANCE USE**

The following questions refer to alcohol and drug use. Remember, your answers are confidential and will not be viewed by clinic staff.

F1. Now you will see a list of different drugs. During the last 30 days, how often have you used each of the following substances?

**GO DOWN “A” COLUMN FIRST. IF “0” FOR ANY SUBSTANCES, SKIP B FOR THOSE PARTICULAR SUBSTANCES.**

	<b>[A]</b> Number of times used in <b>past 30 days</b>	<b>[B]</b> Number of times used <b>before or during sex in past 30 days</b> <b>[Only ask if A &gt; 0]</b>
a. Tobacco (cigarettes, cigars, chew, snuff, e-cigs)	___ ___ times	___ ___ times
b. Alcohol (beer, wine, liquor)	___ ___ times	___ ___ times
c. Marijuana/hashish/pot/weed/chamba	___ ___ times	___ ___ times
d. Synthetic Marijuana/K2/Spice	___ ___ times	___ ___ times
e. Ecstasy/MDMA	___ ___ times	___ ___ times
f. Crystal Meth/amphetamines/methamphetamines/speed/crank/ice/yaba	___ ___ times	___ ___ times
G. Ketamine/special K	___ ___ times	___ ___ times
H. GHB (Gamma hydroxybutyrate)	___ ___ times	___ ___ times
I. Other hallucinogens/LSD/mushrooms	___ ___ times	___ ___ times
J. Poppers/amyl nitrate/butyl nitrate	___ ___ times	___ ___ times
K. Crack	___ ___ times	___ ___ times
L. Cocaine (not crack)	___ ___ times	___ ___ times
M. Opium/Opioids (Heroin, Codeine, Vicodin, OxyContin)	___ ___ times	___ ___ times
N. Mandrax/Quaalude	___ ___ times	___ ___ times
O. Kratom	___ ___ times	___ ___ times
P. Khat	___ ___ times	___ ___ times
Q. Any other pharmaceutical drugs not prescribed to you by a physician	___ ___ times	___ ___ times
R. Other, <i>please specify</i> : _____	___ ___ times	___ ___ times

F2. [IF F1A\_b>0] Thinking about the times you used alcohol during the last 30 days, how much did you typically use?

1. Too little to feel any effect
2. Enough to feel it a little
3. Enough to feel it a lot
4. Enough to get drunk
5. Enough to feel like you might pass out
6. Enough to pass out

## **SECTION G. Discussion with Social Network**

---

G1. Have you talked about this study with anyone in your social network?

1. No
2. Yes (GO TO G1B)

G1a. {IF G1=1, ASK QUESTION THEN JUMP TO NEXT SECTION} Different circumstances may prevent people from discussing participation in the study with social networks. Thinking about your experience since you last completed the survey, please choose all the reasons that have made it difficult to talk about the study?

- Embarrassment
- Fear of Violence
- Potential Misunderstanding
- Don't think it's important
- Lack of Trust
- Stigmatization
- Shyness
- Awkwardness
- Fear of job loss
- Fear of losing housing
- Fear of criminalization

G1b. Who did you talk about it with? (Check all that apply)

- Friends
- Family
- Sex partners
- Coworkers
- Roommates
- Other \_\_\_\_\_

G2a. Have you talked about the rectal rectal suppository used in this study with anyone in your social network?

- Yes
- No (GO TO NEXT SECTION)

G2b. Who did you talk about it with? (Check all that apply)

- Friends
- Family
- Sex partners
- Coworkers
- Roommates
- Other \_\_\_\_\_

G2c. How comfortable did you feel talking about the rectal rectal suppository?

{NOTE: LIST FILLS BASED ON G2A answers}	Very Uncomfortable	Uncomfortable	Neutral	Comfortable	Very Comfortable
Friends					
Family					
Sex Partner					
Co-Workers					
Roommates					
Fill-in from #2					

G2d. How did they respond when you talked about the rectal rectal suppository?

{NOTE: LIST FILLS BASED ON G2A answers}	Negatively	Somewhat Negatively	Neutral	Somewhat Positively	Positively	N/A
Friends						
Family						
Sex Partner						
Co-Workers						
Roommates						
Fill-in from #2						

## SECTION H. RECOMMENDATIONS

---

Think about the positive and negative experiences you had using the rectal rectal suppository during the past 4 week study period.

H1. Think about the positive and negative experiences you have had using the rectal rectal suppository during the past 4 week period. If this rectal suppository was available and it provided some protection against HIV, how likely would you be to use it before receptive anal sex?

1—2—3—4—5—6—7—8—9—10

Very Unlikely Very Likely

H2. Thinking about the size of the rectal suppository you used, would you be willing to use the product if it were... (Check the greatest possible size.)

1. Half the size of the rectal suppository you used
2. Same size as the rectal suppository you used
3. Twice as big as the rectal suppository you used
4. 3 times as big as the rectal suppository you used
5. 4 times as big as the rectal suppository you used
6. Other: \_\_\_\_\_

H3. What were the things you liked the most?

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_

H4. What were the things you liked the least?

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_

Thank you for completing this questionnaire! Please notify the study staff that you are finished.

END OF QUESTIONNAIRE